

Printing date 22.06.2023

Version: 3.01 (replaces version 3.00)

Revision: 22.06.2023

GB

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier Trade name: GLOXIL WW SL UFI: 0KQ0-909S-500D-T5U7 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the mixture Matting paste for water-based coating systems Industrial uses 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: HOFFMANN MINERAL GmbH Münchener Straße 75 D - 86633 Neuburg/Donau Tel.: +49 (8431) 53-0 www.hoffmann-mineral.com Further information obtainable from: info@hoffmann-mineral.com 1.4 Emergency telephone number: +49 (0) 84 31 53-0 (Not available outside office hours!) Emergency CONTACT (24-Hour-Number): GBK/Infotrac ID 91785 : (USA domestic) 1 800 535 5053 / international (001) 352 323 3500 SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Eye Irrit. 2 H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms GHS07 Signal word Warning Hazard-determining components of labelling: 2-methylisothiazol-3(2H)-one Hazard statements H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. Precautionary statements P280 Wear protective gloves/eye protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. 2.3 Other hazards Results of PBT and vPvB assessment PBT: According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT vPvB: According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB. (Contd. on page 2)



Printing date 22.06.2023 Version: 3.01 (replaces version 3.00)

Revision: 22.06.2023

(Contd. of page 1)

#### Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

#### Description:

Slurry of Silica (Amorphous Silica 10-20% / CAS: 7631-86-9 / EG: 231-545-4 / UK REACh: 01-2119379499-16-XXXX) with additives in water.

CAS: 7631-86-9	Amorphous Silica	15-<20%
EINECS: 231-545-4	Nanoform: amorphous nanoform, set including amorphous nanoforms, amorphous forms, non-surface-treated nanoforms	
CAS: 577-11-7	Sodium diisooctyl sulphosuccinate	1-<3%
EINECS: 209-406-4	📀 Eye Dam. 1, H318; 🗘 Skin Irrit. 2, H315	
Reg.nr.: 01-2119491296-29-xxxx		
CAS: 2682-20-4	2-methylisothiazol-3(2H)-one	>0.0015-<0.01%
EINECS: 220-239-6	left Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox.	
Reg.nr.: 01-2120764690-50-xxxx	2, H330; 段 Skin Corr. 1B, H314; Eye Dam. 1, H318;	
	Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1,	
	H410 (M=1); 🕧 Skin Sens. 1A, H317, EUH071	
	Specific concentration limit: Skin Sens. 1A; H317: C ≥	
	0.0015 %	

# SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Wash the areas of skin affected with water and a mild detergent.

If symptoms persist consult doctor.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

**4.2 Most important symptoms and effects, both acute and delayed** sensitization Allergic reactions

Eye irritation

**4.3 Indication of any immediate medical attention and special treatment needed** Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

# SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
5.2 Special hazards arising from the substance or mixture No further relevant information available.
5.3 Advice for firefighters
Protective equipment:
The normal measures for firefighting are to be taken.
Do not enter the hazardous area without a self-contained breathing apparatus.
See Section 8 for information on personal protection equipment.

(Contd. on page 3)

GR

Version: 3.01 (replaces version 3.00)



Revision: 22.06.2023

(Contd. of page 2)

Printing date 22.06.2023

#### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

For emergency responders Wear protective equipment. Keep unprotected persons away.

#### 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

**7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground. No special requirements. Information about storage in one common storage facility: No special measures required. Observe local/state/federal regulations. Further information about storage conditions: Protect from frost.

7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection


#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Oral	DNEL	DNEL 17.86 mg/kg (vls)	
Dermal	DNEL	267.86 mg/kg bw/day (wls)	
	DNEL	. 160.71 mg/kg (vls)	
Inhalative	DNEL	. 1,889.1 mg/m³ (wls)	
	DNEL	DNEL 559.01 mg/m³ (vls)	
PNECs			
CAS: 577	'-11-7 S	Sodium diisooctyl sulphosuccinate	
PNEC 12	2.2 mg/l	l (sewage plant)	
0.	18 mg/l	l (water (fresh water))	
0.	018 mg/	ı/l (water (sea water))	
PNEC 17	7.789 mg	g/kg (sediment (fresh water))	
	779 mg/	ı/kg (sediment (sea water))	
1.		kg (soil)	

Version: 3.01 (replaces version 3.00)





Revision: 22.06.2023

(Contd. of page 3)

Additional information: The lists valid during the making were used as basis. 8.2 Exposure controls

#### Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

#### Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing

 Avoid contact with the eyes and skin.

 Respiratory protection: Not required in normal cases

 Hand protection Protective gloves

 Material of gloves

 Nitrile rubber, NBR

 Recommended thickness of the material: ≥ 0.11 mm

 [EN 374]

 Penetration time of glove material

 Value for the permeation: Level 6 (≥480min)

 The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

 Eye/face protection


 Safety glasses

 [EN 166]

# SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical p	properties
General Information	
Physical state	Fluid
Colour:	White
Odour:	Specific type
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	>100 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not applicable
Upper:	Not applicable
Flash point:	Not applicable.
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
pH at 20 °C	6 - 7.5
Viscosity:	
Kinematic viscosity at 40 °C	>20.5 mm²/s
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa (CAS: 7732-18-5 water, distilled, conductivity
	or of similar purity)
Density and/or relative density	
Density at 20 °C:	1.05 - 1.15 g/cm³
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Pasty
	(Contd. on page 5)

Version: 3.01 (replaces version 3.00)





Revision: 22.06.2023

	(Contd. of pag
Important information on protection of health	ו and
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard cl	lasses
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamma	able
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

#### SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

**10.2 Chemical stability** Stable under normal conditions.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.

10.4 Conditions to avoid See Section 7 for information on safe handling.

**10.5 Incompatible materials:** strong oxidizing agents

10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity** Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

CAS: 577-11-7	Sodium	diisooctv	l sul	phosu	ccinate

Oral LD50 >2,100 mg/kg (rat)

Dermal LD50 >10,000 mg/kg (rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6) GB



Version: 3.01 (replaces version 3.00)

Revision: 22.06.2023

(Contd. of page 5)

#### 11.2 Information on other hazards

Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

# SECTION 12: Ecological information

**12.1 Toxicity** There are no ecotoxicological data available on this mixture.

Aquatic toxicity:

Printing date 22.06.2023

CAS: 577-11-7 Sodium diisooctyl sulphosuccinate

LC50 / 96h 49 mg/l (Danio rerio)

EC50 / 48h 15.2 mg/l (Daphnia magna)

EC50 / 72h 82.5 mg/l (algae)

#### CAS: 2682-20-4 2-methylisothiazol-3(2H)-one

EC 20 / 3h 2.8 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))

EC50/3h 34.6 mg/l (activated sludge) (DIN 38412-3 (TTC-Test))

**12.2 Persistence and degradability** No further relevant information available.

#### 12.3 Bioaccumulative potential

CAS: 2682-20-4 2-methylisothiazol-3(2H)-one

BCF 3.16

*log Kow* ≤0.32

12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

12.7 Other adverse effects

Additional ecological information:

General notes: The product may not be released into the environment without control.

# SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste classified as hazardous according to Annex III to Directive 2008/98/EC.

**Recommendation** Waste must be disposed of while observing the local, official regulations. **Waste disposal key:** 

For this product no waste code are defined according to the European Waste Catalogue, as the intended use by the user enables an allocation.

The waste code must be defined in agreement with the regional waste disposers.

#### Uncleaned packaging:

#### Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

# SECTION 14: Transport information

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA

Void

(Contd. on page 7)

Printing date 22.06.2023

# Safety data sheet according to 1907/2006/EC, Article 31



Version: 3.01 (replaces version 3.00)

Revision: 22.06.2023

		(Contd. of page
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR/RID/ADN, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according instruments	<b>g to IMO</b> Not applicable.	
UN "Model Regulation":	Void	

# SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International substance lists/inventories:

All Substances are	either listed in or exempt from each of the following substance lists/inventories:
- UK REACH	(European Union)

- UK KEAUH	(European Onion)
- IECSC	(China)
- ENCS/CSCL	(Japan)
- TSCA	(USA)
- AICS	(Australia)
- DSL/NDSL	(Canada)
- KECI	(Republic of Korea)
- NZIoC	(New Zealand)
- PICCS	(Philippines)
- TCSCA/TCSI	(Taiwan)
European Dire	ctives:
Directive 2010	/75/EU (VOC) not subject to
Catégorie SEV	ESO (DIRECTIVE 2012/18/EU) not subject to
REGULATION	(EU) 2019/1148
Annex I - RES	TRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing
under Article 5	i(3))
None of the ing	redients is listed.
Annex II - REP	ORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### National regulations:

#### Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed. Employment restrictions concerning juveniles must be observed. **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

# SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.

(Contd. on page 8)

GB

Printing date 22.06.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version: 3.01 (replaces version 3.00)



Revision: 22.06.2023

	(Contd. of pa
H400 Very toxic to aquatic	
	life with long lasting effects.
EUH071 Corrosive to the resp	piratory tract.
Classification according to	Regulation (EC) No 1272/2008
Serious eye damage/irritation	The classification of the mixture is generally based on the calculation metho
Skin sensitisation	using substance data according to Regulation (EC) No 1272/2008.
Date of previous version: 3	1.01.2022
Version number of previous	s version: 3.00
Abbreviations and acronym	S:
NOEL = No Observed Effect Level	
NOEC = No Observed Effect Concentr	ation
LC = letal Concentration EC50 = half maximal effective concent	ration -
log POW = Octanol / water partition co	
	Classification and Labelling of Chemicals
ATE: acute toxicity estimate	•
	ational des marchandises dangereuses par route (European Agreement Concerning the International
Carriage of Dangerous Goods by Road IMDG: International Maritime Code for	
IATA: International Air Transport Assoc	
EINECS: European Inventory of Existin	
ELINCS: European List of Notified Che	
	sion of the American Chemical Society)
DNEL: Derived No-Effect Level (UK RI PNEC: Predicted No-Effect Concentration	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
IOELV = indicative occupational expos	
Acute Tox. 3: Acute toxicity – Category Acute Tox. 2: Acute toxicity – Category	
Skin Corr. 1B: Skin corrosion/irritation	
Skin Irrit. 2: Skin corrosion/irritation – C	
Eye Dam. 1: Serious eye damage/eye	irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye ir	
Skin Sens. 1: Skin sensitisation – Cate	
Skin Sens. 1A: Skin sensitisation – Ca Aquatic Acute 1: Hazardous to the aqu	atic environment - acute aduatic nazard – Catedory 1
Aquatic Acute 1: Hazardous to the aqu	atic environment - acute aquatic nazard – Category 1 quatic environment - long-term aquatic hazard – Category 1