

Safety Data Sheet
according to HPR, Schedule 1

Printing date 03/18/2020

Reviewed on 03/18/2020

1 Identification**Product identifier****Trade name:** SILLITIN V 85, V 88, N 82, N 85, N 87, Z 86, Z 89,
SILLIKOLOID P87, and their puriss grades**CAS Number:** see information in section 3**Application of the substance / the mixture**

As functional fillers for elastomers, plastics, paints and varnishes, adhesives, polishing and protective agents, welding electrodes, as well as in the construction and chemical industries.

Details of the supplier of the safety data sheet**Manufacturer/Supplier:**

HOFFMANN MINERAL GmbH
Münchener Straße 75
D - 86633 Neuburg (Donau)
Phone: +49 (0) 8431 53-0
Fax: +49 (0) 8431 53-3 30
www.hoffmann-mineral.com
info@hoffmann-mineral.com

Information department:**Distributor:**

ChemSpec Ltd.
1559 Corporate Woods Parkway, Suite 150
Uniontown, Ohio 44685.
USA
Phone: 0330-869-0355
Toll Free: 0800-200-4753

AZELIS CANADA INC.
235 ADVANCE BLVD
UNIT 1, BRAMPTON, ON
L6T 4J2, CANADA
PHONE: +1 905 4537131

E-mail competent person: info@hoffmann-mineral.com**Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents
Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

2 Hazard identification**Classification of the substance or mixture**

Due to a cryptocrystalline silica alveolar dust content of < 0.1% by weight (DIN EN 15051-B), classification in accordance with WHMIS 2015 is not required.

The substance is not classified, according to the Globally Harmonized System (GHS).

Information concerning particular hazards for human and environment:

Due to the potential for generation of airborne respirable cryptocrystalline silica (cryp. CS), lung fibrosis cannot be ruled out. Prolonged inhalation of large amounts of cryp. CS A-dust (> 0.10 mg/m³) may lead to silicosis.

Label elements**GHS label elements** Void**Hazard pictograms** Void**Signal word** Void**Hazard statements** Void**Classification system:** Workplace Hazardous Materials Information System (WHMIS 2015)**Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.

(Contd. on page 2)

CA

Safety Data Sheet

according to HPR, Schedule 1

Printing date 03/18/2020

Reviewed on 03/18/2020

**Trade name: SILLITIN V 85, V 88, N 82, N 85, N 87, Z 86, Z 89,
SILLIKOLOID P87, and their puriss grades**

vPvB: Not applicable.

(Contd. of page 1)

3 Composition/Information on ingredients

Chemical characterization: Substances

Neuburg Siliceous Earth, also known by the trade names SILLITIN and SILLIKOLLOID, is an inorganic compound originating in nature and made up of amorphous and cryptocrystalline silica and lamellar kaolinite.

CAS No. Description

Neuburg Siliceous Earth is defined under the following CAS number(s):

Identification number(s)
Canadian DSL

7631-86-9 Silica

1332-58-7 Kaolin

4 First-aid measures

Description of first aid measures

General information: In any cases of doubt or if symptoms are present, seek medical advice.

After inhalation:

Supply fresh air.

Remove victim from contaminated area. If breathing is difficult, give oxygen. If breathing stops, provide artificial respiration. Call a doctor.

After skin contact:

Wash with water and soap.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water.

If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting

Never give anything by mouth to an unconscious person.

If symptoms persist consult doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed Symptomatic treatment

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire fighting measures that suit the environment.

For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture

Non-combustible. No hazardous thermal decomposition.

Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Use respiratory protective device against the effects of fumes/dust/aerosol.

(Contd. on page 3)

Safety Data Sheet
according to HPR, Schedule 1

Printing date 03/18/2020

Reviewed on 03/18/2020

**Trade name: SILLITIN V 85, V 88, N 82, N 85, N 87, Z 86, Z 89,
SILLIKOLOID P87, and their puriss grades**

(Contd. of page 2)

Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:

Avoid formation of dust. Use a tested and approved industrial vacuum cleaner for collecting dust.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Prevent formation of dust.

Provide suction extractors if dust is formed.

Carry out filling operations only at sites with extractors available.

Any deposit of dust which cannot be avoided must be regularly removed.

Information about protection against explosions and fires:

Observe the general rules of industrial fire protection.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Store receptacles tightly closed at a cool and dry place with sufficient ventilation

Store in original container wherever possible.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Store in dry conditions.

Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

CAS: 7631-86-9 Cryptocrystalline Silica

TWA	Long-term value: $\leq 0.10 \text{ mg/m}^3$ Recommendation HOFFMANN MINERAL
-----	--

CAS: 1332-58-7 Kaolin

EL	Long-term value: 2 mg/m^3
EV	Long-term value: 2(D) mg/m^3 respirable

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Vacuum clean contaminated clothing. Do not blow or brush off contamination.

Wash hands before breaks and at the end of work.

Do not inhale dust / smoke / mist.

Do not eat or drink while working.

Immediately remove soiled, soaked clothing and use again only after washing.

Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation.

If A-dust exceeds the concentration of 0.10 mg/m^3 cryp. CS, wear an appropriate fine-dust filter mask N95

(NIOSH Approved).

(Contd. on page 4)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 03/18/2020

Reviewed on 03/18/2020

**Trade name: SILLITIN V 85, V 88, N 82, N 85, N 87, Z 86, Z 89,
SILLIKOLOID P87, and their puriss grades**

Protection of hands: No chemical-protective gloves required.
Eye protection: Safety glasses with side shields
Body protection: Not required.

(Contd. of page 3)

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Powder
Color:	White to beige
Odor:	Odorless
Odor threshold:	Not determined.

pH-value at 20°C (68°F) (400 g/l) at 20 °C: 5 - 9

Change in condition

Melting point/Melting range:	Not applicable
Boiling point/Boiling range:	Not applicable

Flash point: Not applicable.

Flammability (solid, gaseous): Product is not flammable.

Ignition temperature: Not applicable.

Decomposition temperature: Not determined.

Auto igniting: Not determined.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower:	Not applicable
Upper:	Not applicable

Vapor pressure: Not applicable

Density at 20°C (68 °F):	2.6 g/cm ³
Relative density	Not determined.
Vapor density	Not applicable
Evaporation rate	Not applicable.

Solubility in / Miscibility with

Water: practically insoluble.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic:	Not applicable
Kinematic:	Not applicable

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

(Contd. on page 5)

Safety Data Sheet
according to HPR, Schedule 1

Printing date 03/18/2020

Reviewed on 03/18/2020

**Trade name: SILLITIN V 85, V 88, N 82, N 85, N 87, Z 86, Z 89,
SILLIKOLOID P87, and their puriss grades**

Hazardous decomposition products:

No hazardous decomposition products if instructions for storage and handling are followed

(Contd. of page 4)

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification: No toxicity data are available for the product itself.

Primary irritant effect:

on the skin: No irritant effect.

on the eye: No irritating effect.

on respiratory tract: No data available

Sensitization: No sensitizing effects known.

Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer)

CAS: 7631-86-9 Silica

3

NTP (National Toxicology Program) Substance is not listed.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):

Keimzell-Mutagenität: Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Not hazardous for water.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation: Smaller quantities can be disposed of with household waste.

(Contd. on page 6)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 03/18/2020

Reviewed on 03/18/2020

**Trade name: SILLITIN V 85, V 88, N 82, N 85, N 87, Z 86, Z 89,
SILLIKOLOID P87, and their puriss grades**

(Contd. of page 5)

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number

DOT/TDG, ADR, IMDG, IATA Void

UN proper shipping name

DOT/TDG, ADR, IMDG, IATA Void

Transport hazard class(es)

 DOT, ADR, ADN, IMDG, IATA
Class

Void

Packing group

DOT/TDG, ADR, IMDG, IATA Void

Environmental hazards:
Marine pollutant: No

Special precautions for user Not applicable.

Transport/Additional information: Not dangerous according to the above regulations.

UN "Model Regulation": Void

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
Canadian substance listings:
Canadian Domestic Substances List (DSL)

CAS: 7631-86-9 | Silica

CAS: 1332-58-7 | Kaolin

Canadian Ingredient Disclosure list (limit 0.1%) Substance is not listed.

Canadian Ingredient Disclosure list (limit 1%)

CAS: 7631-86-9 | Silica

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of the latest revision of the safety data sheet 03/18/2020 / 3.00

Abbreviations and acronyms:

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = Lethal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

Sources Information provided by the manufacturer

(Contd. on page 7)

Safety Data Sheet
according to HPR, Schedule 1

Printing date 03/18/2020

Reviewed on 03/18/2020

**Trade name: SILLITIN V 85, V 88, N 82, N 85, N 87, Z 86, Z 89,
SILLIKOLOID P87, and their puriss grades***** Data compared to the previous version altered.**

(Contd. of page 6)

Changes have been made to sections marked with a *, as compared to the previous version.

CA